

**1. MPEG-21 bitstream syntax descriptions for scalable video codecs**

lets on the **television**. Now, there is the opportunity to follow digital news feeds on the Internet; and in the near ... tion of the **bitstream** in **XML**, it is possible to add extra in ... no **semantic** information. The (adapted) **bitstream** can be ... second phase, we can **filter** out different versions of the (par ...

www.springerlink.com/index/T1GK147M5346VT77.pdf - [Similar pages](#)
by D De Schrijver - 2006 - [Cited by 6](#) - [Related articles](#)

2. Cover Pages: Extensible Markup Language (XML)

The output formatter is based on **Bitstream's** revolutionary NuDoc page Once data is in **XML** conforming to the NFF DTD it can be imported using an **import filter** in the area of specifying **timing**, synchronization, and special effects. [October 23, 1998] **XML and Semantic Transparency**." By Robin Cover, ...
xml.coverpages.org/xml.html - 425k - [Cached](#) - [Similar pages](#)
by R Cover - [Cited by 43](#) - [Related articles](#).

3. [PDF] David Tarrant May 2005 ECS-TV – Video for Learning <http://www.ecs...>

File Format: PDF/Adobe Acrobat - [View as HTML](#)

around the idea of the **semantic** web which uses metadata representation languages such as **XML** using VLC until you re-stream to a client interactively and VLC cannot read the **timing** in the projector picks up an AC-3 **bitstream** from the then **filter** out entries by another attributes value, and so on. ...
users.ecs.soton.ac.uk/dt302/guides/Full_Report.pdf - [Similar pages](#)

4. [doc] FERNANDO PEREIRA

File Format: Microsoft Word - [View as HTML](#)

High-level features typically have a **semantic** value associated to what the driven media selection and **filtering**, personalized **television** services, ... unit is the smallest data entity to which **timing** information can be attributed. ... the **bitstream**, without parsing the complete **bitstream** before these elements.
www.img.lix.it.pt/~fp/artigos/JIG_MPEG7_final.doc - [Similar pages](#)
by F PEREIRA - [Cited by 11](#) - [Related articles](#) - [All 5 versions](#)

5. [FLASH] ii Acquisitions Editor: Michelle Potter Development Editor:Kristin ...

File Format: Shockwave Flash

Its **semantic** is defined with respect to paths in a Kripke structure. before sending the report to the development team, **filtering** duplicates and fake bugs, However, when both data and transactions have **timing** restrictions, Furthermore, the chapter clarifies the conformance-testing position among ...
mail.udgvirtual.udg.mx/biblioteca/bitstream/123456789/1648/2/1591408539_verification.swf - [Similar pages](#)
by A Dasso - 2007 - [Cited by 1](#) - [Related articles](#) - [All 5 versions](#)

6. [doc] Chapter 2:

File Format: Microsoft Word - [View as HTML](#)

Secondly, a number of the **bitstream** encodings are media-dependent formats, for the searching and **filtering** of specific types of content. ... **position**, trajectory, mood, and tempo) to high-level **semantic** ... SMIL is a flexible XML markup language that gives you the power to control the **timing** of such media ...

ahds.ac.uk/about/projects/archiving-studies/moving-images-sound-archiving-final.doc
- [Similar pages](#)

7. IRC log of tp on 2007-11-07

Nov 7, 2007 ... It's with browsers (like TV said). They're tired of waiting for things towards browsers that handle more and more **semantic** content on the Web. end of the **bitstream** sounds like "the shallow end of the gene pool". The key thing that SMIL provides is the **timing** model which explains ...

www.w3.org/2007/11/07-tp-irc - 401k - [Cached](#) - [Similar pages](#)

8. [PDF] Processing and Delivery of Multimedia Metadata for Multimedia...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

of multimedia **bitstreams** [BS06]. Both categories of metadata (**semantic** and syntactic its ancestor's stack and its **position** within siblings. ... The use of STXPath expressions as matching patterns enables **filtering** an the fragmentation and **timing** of media data and XML metadata such as to enable their ...

www.itec.uni-klu.ac.at/publications/mmc/wmsrm2007metadataprocessingdelivery.pdf

- [Similar pages](#)

by M Ransburg - Cited by 3 - [Related articles](#)

9. [PDF] Interactive Audio on the Web

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The IASIG Web Audio working group operates from a **position** of enlightened self-interest. could build a MIDI player using this feature, the **timing** mechanism in **filtering** and **semantic** description of content (metadata). ... The interface and its **bitstream** format is strongly scalable; for example, if some ...

www.iasig.org/pubs/wawg-rpt.pdf - [Similar pages](#)

10. [doc] INTERNATIONAL ORGANISATION FOR STANDARDISATION

File Format: Microsoft Word - [View as HTML](#)

2007 TV-Anytime Rights Management and Protection Rqs — I. Sezan complete the formalization of the XML file for **bitstream** information; It was noted that the contribution lacked proper **semantic** descriptions. Fast **filtering**: propose re-ordering of navigation path to separate **position** codes from TBCs; ...

www.itscj.ipsj.or.jp/sc29/open/29view/29n43211.doc - [Similar pages](#)

filtering bitstream television xml semantic timing position

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)